

COPPER	Cueva	Kocide	Nordox
Form	Copper Octanoate 10%	Copper hydroxide	Cuprous Oxide
PHI	0 day	0 day	24hrs
REI	4 hrs	48hrs	12hrs
Application rate	0.5 – 2oz/gal	0.025 lbs- 0.0875 lbs/gal	.01-.03lbs/gal
Cost per gal/lb	\$44.80/gal	\$9.50	\$8.45 - \$10.88
Cost per diluted gallon	\$0.18 - \$0.70	\$0.24 - \$0.83	\$0.10 – \$0.33
		Frost protection	
	<p>For best control, begin treatment 2 weeks before disease normally appears or when weather forecasts predict a long period of wet weather. Alternatively, begin treatment when disease first appears, and repeat at 7 to 10 day intervals for as long as needed. Use the 2.0 gallon rate of Cueva Fungicide Concentrate, applied every 7 days or less, following heavy rain or when the amount of disease is increasing rapidly. If possible, time applications so that 12 hours of dry weather follow application</p>	<p>Maximum concentration of copper ions in a formulation while preserving plant safety. This contributes to a lower use rate, yet more active metallic copper fungicide. This makes it easy for growers to comply with the new RED metallic copper limitations and obtain effective disease control.</p> <p>Increased bioactivity. Excellent dispersion. Long residual. It all adds up to make Kocide 3000 the best copper fungicide your money can buy.</p>	